

PIPE-RACK ASMA İSKELE SİSTEMİ

PIPE-RACK SUSPENDED SCAFFOLDING SYSTEM



PIPE-RACK ASMA İSKELE SİSTEMİ




Zeminden ulaşımı mümkün olmayan ara katmanlı bölgelerde imalat ve montaj çalışmasını sağlayan endüstriyel iskele sistemidir. Özellikle petrokimya, rafineri tesislerinde bulunan boru köprülerinde kullanılmaktadır.

Bu sistem makas, boru ve boru bağlantı elemanlarından oluşur. Gerek görüldüğü takdirde mevcut çelik sistemdeki putrellerin yanaklarına özel bağlantı klipsleri ile bağlanabilir. Sistem petrol tesislerinde kullanıldığı için BS 5973 ve TS - EN 12810 normlarına uygun olarak üretilmektedir. TS - EN 74 normuna uygun kelepçeler ile sistem tamamlanmaktadır.

PIPE-RACK SUSPENDED SCAFFOLDING SYSTEMS

This is the industrial scaffolding system, which is enabling production and assembling works in interbedded areas, where an access from ground level is not possible. They are especially used in pipe bridges of petrochemical and refinery facilities.

This system is comprising from truss members, pipes and pipe connection members. If needed, the system can be connected to beam jaws of the present steel system with special connection clips. Since this system is used in oil & gas facilities, it is produced according to BS 5973 and TS-EN 12810 standards. The system is completed with clips, which are appropriate to TS-EN 74 standards.

















Özel ölçüler projeye göre üretilir.
Special dimensions will be produced upon request.

Kafes Kirişi (h=30 cm) Truss Girder (h=30 cm)

30959449.500	L= 500	47,11 kg
30959449.600	L= 600	55,72 kg
30959449.700	L= 700	64,33 kg
30959449.800	L= 800	72,95 kg
30959449.850	L= 850	74,69 kg
30959449.900	L= 900	80,53 kg
30959449.950	L= 950	83,30 kg
30959449.1000	L= 1000	90,17 kg
30959449.1050	L= 1050	92,46 kg



Özel ölçüler projeye göre üretilir.
Special dimensions will be produced upon request.

Kafes Kirişi (h=45 cm) Truss Girder (h=45 cm)

30959439.300	L= 300	28,99 kg
30959439.350	L= 350	32,08 kg
30959439.400	L= 400	37,35 kg
30959439.450	L= 450	40,43 kg
30959439.500	L= 500	45,70 kg
30959439.550	L= 550	48,79 kg
30959439.600	L= 600	54,06 kg
30959439.650	L= 650	57,15 kg
30959439.700	L= 700	62,42 kg
30959439.750	L= 750	64,91 kg
30959439.800	L= 800	70,78 kg
30959439.850	L= 850	73,80 kg



Özel ölçüler projeye göre üretilir.
Special dimensions will be produced upon request.

Kule Bağlantı Elemanı (Ø48 x 3,2 mm) Scaffold Tube (Ø48 x 3,2 mm)

39804279.50	L= 500 mm	1,72 kg
39804279.100	L= 1000 mm	3,71 kg
39804279.150	L= 1500 mm	5,14 kg
39804279.200	L= 2000 mm	6,85 kg
39804279.250	L= 2500 mm	8,56 kg
39804279.300	L= 3000 mm	10,28 kg
39804279.350	L= 3500 mm	12,00 kg
39804279.400	L= 4000 mm	13,70 kg
39804279.450	L= 4500 mm	15,41 kg
39804279.500	L= 5000 mm	17,12 kg
39804279.550	L= 5500 mm	18,84 kg
39804279.600	L= 6000 mm	20,55 kg



Galvanizli
Galvanized

The norm; EN74

Hareketli Boru Kelepçesi Swivel Coupler

4030006.999	48/48	1,40 kg
4030026.999	48/60	1,50 kg
4030027.999	60/60	1,51 kg



Galvanizli
Galvanized

The norm; EN74

Sabit Boru Kelepçesi Fixed Coupler

4030003.999	48/60	1,30 kg
4030024.999	48/48	1,04 kg
4030052.999	60/60	1,52 kg




Galvanizli
Galvanized

The norm; EN74

Putlog Kelepçe Ø48 Putlog Coupler Ø48 - wrap over coupler

4030025.48	0,59 kg
------------	---------



Galvanizli
Galvanized

The norm; EN74

Kiriş Kelepçesi Girder Coupler

4030005.999	1,47 kg
-------------	---------



Tozluk Kelepçesi Toe Board Coupler

4030002.999	0,75 kg
-------------	---------



Dıştan Boru Birleştirme Kelepçesi Sleeve Pressed

4090100.999	1, 14 kg
-------------	----------



Boru Ekleme Parça Dövme Vidalı
[Joint Pim Forged](#)

4090201.999

1,19 kg



Tekli Boru Kelepçesi Ø48
[Single Pipe Clamp Ø48](#)

4030040.48

0,54 kg



Ahşap Kalas
[Scaffolding Board](#)

PLY007101

14,20 kg



Galvanizli
[Galvanized](#)

The norm; EN74

Merdiven Kelepçesi 48,3
[Ladder Coupler](#)

4094371.999

0,50 kg



Kelepçeli Özel Payanda Ø48
[Coupled Special Strut Ø48](#)

39804608.999

3,18 kg



Tırmanma Merdiveni B Tipi
[Climbing Ladder B Type](#)

39804209.400
39804209.300
39804209.250
39804209.200
39804209.600
39804209.450
39804209.500
39804209.550
39804209.350

L= 3995
L= 2995
L= 2495
L= 1995
L= 5995
L= 4495
L= 4995
L= 5495
L= 3495

0,50 kg



Tırmanma Merdiveni C Tipi
[Climbing Ladder C Type](#)

39822019.400
39822019.300
39822019.250
39822019.200
39822019.600

L= 3995
L= 2995
L= 2495
L= 1995
L= 6000

0,50 kg

URTİM KALIP ve İSKELE SİSTEMLERİ

Kalip ve iskele sektöründe global bir marka olan URTİM, 1980 yılından bu yana 66 farklı ülkede 4.000'den fazla projeyi tamamlamanın gururunu yaşıyor. Müşterilerimize, tedarikçilerimize ve takım arkadaşlarımıza olan sadakatimizi ve bağlılığımızı gösteren temel değerlerimiz sayesinde; büyük çaplı konut ve endüstriyel yapılarla, uluslararası rafineri projelerine üstün kalitede ve güvenliğe çözümler üretiyoruz

1980 yılında İstanbul'da bir aile şirketi olarak kurulmuş olan URTİM'de amacımız, yüksek standartta, üstün kaliteye ve ileri teknolojiye sahip sistemlerimizi; konusunda uzman ve Ar-Ge mühendislerimiz ile tasarlamak ve en son teknolojiye göre düzenlenmiş robotik tesislerimizde üretmektir

"Çözümü şekillendirir ve güvenle yükseltir"

Sistemlerimiz Avrupa ve Türk standartları ile diğer uluslararası standartlara göre üretilmekte ve sertifikalandırılmaktadır. URTİM olarak bizler, yarım asra yakın tecrübemiz ve çözüm odaklı teknik ofisimiz sayesinde, projenin başlangıcından satış sonrası hizmetlerine kadar her aşamasında güvenli çözümler sunmayı kendimize hedef olarak belirledik.

Dünya çapında endüstriyel uygulamalar için yüksek yetkinliğe sahip ve onaylı bir kuruluş olan URTİM, Avrupa, Amerika, Orta Doğu, Afrika ve Asya'ya %80 oranında ihracat yapmaktadır. URTİM, Engineering News-Record, ENR listesinde yer alan birçok büyük inşaat ve petrokimya firmalarının onaylı kalıp ve iskele tedarikçi firmasıdır.

Daha detaylı bilgi için lütfen urtim.com sitesini ziyaret ediniz

URTİM FORMWORK AND SCAFFOLDING SYSTEMS

URTİM is a global brand respected for formwork and scaffolding solutions. Since 1980 we have successfully completed more than 4,000 projects in 66 countries. With our core values we are committed to our customers, suppliers and team members to deliver high-end and safe solutions in large-scale residential and industrial constructions and major refinery projects.

URTİM was founded as a family-owned company in Istanbul Turkey. Our goal is to create high-end products with our superior proficient R&D in engineering and state of the art robotic production technology.


Our products are manufactured & certified according to European standards as well as other international standards.

"We form the solution and rise for the safety"

Thanks to our nearly half a century of experience and to our solution oriented engineering team URTİM has always efficient work cycle and offers solid safety from the project start to after sales services.

URTİM is recognized and competent producer in industrial applications worldwide; exporting systems to Europe, America, Middle East, Africa and Asia with the 80% export ratio. URTİM is a registered and current scaffolding supplier of most of the biggest construction and petrochemical companies listed in Engineering News-Record, ENR.

For further information please visit urtim.com



Architectural Projects



Stadium Projects



Cultural Buildings



High-Rise Buildings



Shipyard Industry



Infrastructure Projects



Residential Projects



Oil & Gas Industry



Industrial Projects



Org. Nurettin Baransel Caddesi, No:50 Hadımköy 34555, İstanbul - TURKEY
T: +90 212 549 5555 • F: +90 212 549 5556 • urtim@urtim.com

urtim.com

*Önemli bilgi: Bu broşürdeki fotoğraflar, tam olarak şantiyelerdeki uygulamalar ile örtüşmeyebilir. Ürünlerin kullanımı için ülkenin lokal otoritelerinden izin alınmış olması gerekebilir. Bu ülkelerdeki tüm güvenlik önlemlerinin dikkate alınması ve sorumluluğu tamamı ile kullanıcıya aittir.

*Important information: The photos shown in this leaflet does not reflect the final stage and/or right usage for your own construction site. The usage of the products might be subject to permission due to local legislations directed by authorities in the respective countries. All safety instructions of these countries must be considered carefully and the responsibility is on users behalf.